



410kW 60Hz Cummins Generator Set Open Type With KTA19-G3 Engine

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-CC563
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Engine Brand: Cummins
- Engine Model: KTA19-G3
- Name: 60Hz Cummins Generator Set
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Prime Power: 512.5kVA/410kW
- Standby Power: 562.5kVA /450kW
- Rated Frequency: 60HZ
- Speed: 1800RPM8
- Warranty: 12 Months/1000 Hours
- Genset Type: Open Type
- Highlight: **410kW Cummins Generator Set,
60Hz Cummins Generator Set,
Cummins Generator Set Open Type**

for more products please visit us on dellentpower.com

Product Description

410kW 60Hz Cummins Generator Set Cummins Power Generator With KTA19-G3 Engine

. PRODUCT

**Cummins Engine Generator:**

Model		A-C563H
Standby Power	kVA	563
	kW	450
Prime Power	kVA	513
	kW	410
Frequency	Hz	60
Output Voltage	V	240
Oil Consumption	L/H	0.352157015
Dimension For Open-type	mm	3475 X 1250 X 1920
Weight For Open-type	kg	3650

Cummins Diesel Engine:

Engine Model		KTA19-G3
No.of Cylinder		6 Cylinder in line
Bore	mm	159
Stroke	mm	159
Displacement	L	18.9
Cooling Fan Air Flow	m ³ /min	588
Compress Air Flow	m ³ /min	34.7
Exhaust Gas Flow	m ³ /min	96.2
Exhaust Gas Temperature		557
Lubrication Oil Capacity	L	50
Cooling Water Capacity	L	91
Starting Voltage	V	24
Engine Max.Output Power	kW	511

The Control Panel :

Alternator Brand		Stamford
Rate Output	kVA	594
Frequency	Hz	60
Altitude	M	≤1000



Competitive Advantage:

1. Low fuel consumption
2. Good quality engine and alternator
3. Fast delivery. 20-30 days
4. The generator set is mounted on a heavy-duty fabricated steel skid type base— frame with anti-vibration mounting pads.
5. Side doors are mounted on both sides, convenient for daily checks and maintenance.
6. External oil filter design can ensure fuel safety when generating sets outside.
7. Use high standard of sponge to make it soundproof.



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA