



60Hz 280kW 350 Kva Doosan Diesel Generator Set With Smartgen Controller

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-Doosan
- Certification: CE ISO
- Model Number: DE-DS350
- Minimum Order Quantity: 1PC
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: 350 Kva Doosan Generator
- Brand: Doosan
- Cooling System: Water Cooling
- Frequency: 60HZ
- Alternator: Stamford
- Phase: Three Phase
- Type: Diesel Generator
- Controller: Smartgen
- Engine Model: P126TI-II
- Rate Current: 505.2A
- Highlight: **Doosan Diesel Generator 280kW,
ISO 280 Kw Diesel Generator,
350 Kva Doosan Generator**

for more products please visit us on dellentpower.com

Product Description

60Hz 280kW 350kVA Doosan Engine Diesel Generator Set

High: Commercial Doosan 350kVA Generator ,P126TI-II Engine Diesel Generator ,
Light: CE Doosan 350kva Generator ,60HZ

. PRODUCT DESCRIPTION

60Hz 280kW 350kVA Doosan Engine Diesel Generator Set

Product Introduce: Dellent Power Doosan Series generator powered by the original Doosan engine, it enjoys high stability, reliability, durability, and long life with a wide range of power output. It is widely used in the area of the port, railway, industrial, and mining.

Product parameters:

Specification of 350kVA Emergency Standby Generator:

Model		DE-DS350
Standby Power	kVA	385
	kW	308
Prime Power	kVA	350
	kW	280
Frequency	Hz	60
Output Voltage	V	240
Oil Consumption	L/H	0.235056354
Dimension For Open-type	mm	3250 X 1100 X 1720
Weight For Open-type	kg	2940
Dimension For Soundproof	mm	3900 X 1300 X 1900
Weight For Soundproof	kg	3200

Specification of Doosan Diesel Engine P126TI-II:

Engine Manufacturer		Doosan Cooperation
Engine Brand		Doosan
Engine Model		P126TI-II
No. of Cylinder		6 Cylinder inline
Aspiration		Turbocharged
Governor		Electric.
Engine Max. Output Power	kW	298
Displacement	L	11.05
Compression Ratio		17.1: 1
Starting Voltage	V	24
Bore	mm	123
Stroke	mm	155
Lubrication Oil Capacity	L	23
Intake Air Flow	L/S	100
Fuel Consumption at 100% Load	L/H	63

Specification of Control Panel :

Specification of Control Panel for 350kVA Emergency Standby Generator:

Controller Brand	Smartgen
Controller Model	HGM6120
Breaker Brand	Delixi
Emergency Stop Button	Supply
Automatic Mains Fail (AMF)	Supply
Fuel Level	Supply
Automatic Transfer Switch	ATS as optional part
The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).	
Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.	

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA