



## Industrial 200kw Diesel Generator Ricardo Genset 1500RPM / 1800RPM

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-W275
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



### Product Specification

- Name: 200kw Diesel Generator
- Engine Brand: Ricardo
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **Industrial 200kw Diesel Generator,  
200kw Diesel Generator 1800RPM,  
Ricardo Genset 1500RPM**

for more products please visit us on [dellentpower.com](http://dellentpower.com)

# CE Ricardos Diesel Generator about 200kW

At our Ricardos generator dealership, we understand the importance of quality and reliability when it comes to power generation. That's why we only offer the best generators from Ricardos, a leading manufacturer of power equipment.

## . PRODUCT

| 50 Hz              |             | 60 Hz |               | TECHNICAL DATA |              | RICARDO<br>WATER-COOLED Series Diesel Generator Sets |             |                        |                      |                       |           |             |             |    |  |
|--------------------|-------------|-------|---------------|----------------|--------------|------------------------------------------------------|-------------|------------------------|----------------------|-----------------------|-----------|-------------|-------------|----|--|
| Genset Performance |             |       |               |                |              | Engine Performance                                   |             |                        |                      | Dimension (L x W x H) |           |             |             |    |  |
| Genset Model       | Prime Power |       | Standby Power |                | Engine model | Speed                                                | Prime power | Fuel Cons. (100% Load) | Cylinder Bore-Stroke | Displace- ment        | Open Type |             | Silent Type |    |  |
|                    | kW          | kVA   | kW            | kVA            |              |                                                      |             |                        |                      |                       | mm        | mm          | mm          | mm |  |
| DE-W22             | 16          | 20    | 18            | 22             | 4YT23-20D    | 1500                                                 | 20          | ≤240                   | 4                    | 88×95                 | 2.31      | 130×78×96   | 220×93×123  |    |  |
| DE-W27             | 20          | 25    | 22            | 27             | N4100DS-30   | 1500                                                 | 30          | ≤225                   | 4                    | 100×115               | 3.61      | 130×78×96   | 220×93×123  |    |  |
| DE-W33             | 24          | 30    | 26            | 33             | N4100DS-30   | 1500                                                 | 30          | ≤225                   | 4                    | 100×115               | 3.61      | 130×78×96   | 220×93×123  |    |  |
| DE-W41             | 30          | 38    | 33            | 41             | N4105DS-36   | 1500                                                 | 36          | ≤220                   | 4                    | 105×120               | 4.15      | 130×78×96   | 220×93×123  |    |  |
| DE-W55             | 40          | 50    | 44            | 55             | N4105ZDS     | 1500                                                 | 56          | ≤210                   | 4                    | 105×120               | 4.15      | 153×78×115  | 230×93×123  |    |  |
| DE-W66             | 48          | 60    | 53            | 66             | N4105ZDS     | 1500                                                 | 56          | ≤210                   | 4                    | 105×120               | 4.15      | 159×78×115  | 239×93×123  |    |  |
| DE-W74             | 54          | 68    | 59            | 74             | N4105ZLDS    | 1500                                                 | 66          | ≤210                   | 4                    | 105×120               | 4.15      | 159×85×121  | 239×98×128  |    |  |
| DE-W96             | 70          | 88    | 77            | 96             | R6105ZDS     | 1500                                                 | 84          | ≤220                   | 6                    | 105×125               | 6.49      | 186×90×121  | 285×108×160 |    |  |
| DE-W96             | 70          | 88    | 77            | 96             | 4RT55-88D    | 1500                                                 | 88          | ≤205                   | 4                    | 110×140               | 5.32      | 178×85×121  | 260×108×150 |    |  |
| DE-W110            | 80          | 100   | 88            | 110            | R6105ZLDS    | 1500                                                 | 100         | ≤218                   | 6                    | 105×125               | 6.49      | 186×90×121  | 285×108×160 |    |  |
| DE-W110            | 80          | 100   | 88            | 110            | 4RT55-88D    | 1500                                                 | 88          | ≤205                   | 4                    | 110×140               | 5.32      | 186×90×121  | 280×105×150 |    |  |
| DE-W132            | 96          | 120   | 106           | 132            | 4RT55-110D   | 1500                                                 | 110         | ≤205                   | 4                    | 110×140               | 5.32      | 186×90×121  | 280×105×150 |    |  |
| DE-W138            | 100         | 125   | 110           | 138            | R6105AZLDS   | 1500                                                 | 121         | ≤218                   | 6                    | 105×130               | 6.75      | 235×103×160 | 300×110×150 |    |  |
| DE-W165            | 120         | 150   | 132           | 165            | R6105BZLDS   | 1500                                                 | 132         | ≤218                   | 6                    | 105×135               | 7.01      | 235×103×160 | 315×120×162 |    |  |
| DE-W165            | 120         | 150   | 132           | 165            | 6RT80-132D   | 1500                                                 | 132         | ≤205                   | 6                    | 110×140               | 7.98      | 235×103×160 | 315×120×162 |    |  |
| DE-W220            | 160         | 200   | 176           | 220            | 6RT80-176DE  | 1500                                                 | 176         | ≤205                   | 6                    | 110×140               | 7.98      | 273×105×172 | 340×130×185 |    |  |
| DE-W275            | 200         | 250   | 220           | 275            | WT10B-231DE  | 1500                                                 | 231         | ≤205                   | 6                    | 126×130               | 10.09     | 279×105×172 | 380×130×200 |    |  |
| DE-W344            | 250         | 313   | 275           | 344            | WT13B-308DE  | 1500                                                 | 308         | ≤205                   | 6                    | 131×155               | 12.53     | 279×105×172 | 400×135×210 |    |  |
| DE-W413            | 300         | 375   | 330           | 413            | WT13B-330DE  | 1500                                                 | 330         | ≤205                   | 6                    | 131×155               | 12.53     | 279×105×172 | 400×135×210 |    |  |
|                    |             |       |               |                |              |                                                      |             |                        |                      |                       |           |             |             |    |  |
| DE-W18             | 13          | 16    | 14            | 18             | 4YT23-20D    | 1800                                                 | 22          | ≤240                   | 4                    | 88×95                 | 2.31      | 130×78×96   | 220×93×123  |    |  |
| DE-W25             | 18          | 23    | 20            | 25             | N4100DS-30   | 1800                                                 | 33          | ≤225                   | 4                    | 100×115               | 3.61      | 130×78×96   | 220×93×123  |    |  |
| DE-W31             | 22          | 28    | 24            | 31             | N4100DS-30   | 1800                                                 | 33          | ≤225                   | 4                    | 100×115               | 3.61      | 130×78×96   | 220×93×123  |    |  |
| DE-W37             | 27          | 33    | 30            | 37             | N4100DS-36   | 1800                                                 | 33          | ≤220                   | 4                    | 100×115               | 3.61      | 130×78×96   | 220×93×123  |    |  |
| DE-W47             | 34          | 43    | 37            | 47             | N4105DS-36   | 1800                                                 | 41.8        | ≤210                   | 4                    | 105×120               | 4.15      | 130×78×96   | 230×93×123  |    |  |
| DE-W55             | 40          | 50    | 44            | 55             | N4100ZDS-42  | 1800                                                 | 46.2        | ≤210                   | 4                    | 105×120               | 4.15      | 130×78×96   | 239×93×123  |    |  |
| DE-W69             | 50          | 63    | 55            | 69             | N4105ZDS     | 1800                                                 | 61.6        | ≤210                   | 4                    | 105×120               | 4.15      | 153×78×115  | 239×96×128  |    |  |
| DE-W83             | 60          | 75    | 66            | 83             | N4105ZLDS    | 1800                                                 | 72.6        | ≤220                   | 4                    | 105×120               | 4.15      | 159×78×115  | 285×108×160 |    |  |
| DE-W91             | 66          | 83    | 73            | 91             | 4RT55-88D    | 1800                                                 | 96.8        | ≤205                   | 4                    | 110×140               | 5.32      | 159×85×121  | 260×108×150 |    |  |
| DE-W106            | 77          | 96    | 85            | 106            | R6105ZDS     | 1800                                                 | 92.4        | ≤218                   | 6                    | 105×125               | 6.49      | 186×90×121  | 285×108×160 |    |  |
| DE-W110            | 80          | 100   | 88            | 110            | 4RT55-88D    | 1800                                                 | 96.8        | ≤205                   | 4                    | 110×140               | 5.32      | 178×85×121  | 280×105×150 |    |  |
| DE-W124            | 90          | 113   | 99            | 124            | R6105ZLDS    | 1800                                                 | 110         | ≤205                   | 6                    | 105×125               | 6.49      | 186×90×121  | 290×105×150 |    |  |
| DE-W124            | 90          | 113   | 99            | 124            | 4RT55-110D   | 1800                                                 | 121         | ≤218                   | 4                    | 110×140               | 5.32      | 186×90×121  | 280×105×150 |    |  |
| DE-W138            | 100         | 125   | 110           | 138            | 4RT55-110D   | 1800                                                 | 121         | ≤218                   | 4                    | 110×140               | 5.32      | 186×90×121  | 280×105×150 |    |  |
| DE-W151            | 110         | 138   | 121           | 151            | R6105AZLDS   | 1800                                                 | 133.1       | ≤205                   | 6                    | 105×130               | 6.75      | 235×103×160 | 315×120×162 |    |  |
| DE-W179            | 130         | 163   | 143           | 179            | R6105BZLDS   | 1800                                                 | 145.2       | ≤205                   | 6                    | 105×135               | 7.01      | 235×103×160 | 315×120×162 |    |  |
| DE-W179            | 130         | 163   | 143           | 179            | 6RT80-132D   | 1800                                                 | 145.2       | ≤205                   | 6                    | 110×140               | 7.98      | 235×103×160 | 305×130×185 |    |  |
| DE-W220            | 160         | 200   | 176           | 220            | 6RT80-176DE  | 1800                                                 | 193.6       | ≤205                   | 6                    | 110×140               | 7.98      | 273×105×172 | 340×130×185 |    |  |

## . Why Choose Us:

# Dedicated

We are DEDICATED to meet Customers' need.

# Enthusiasm

We respond to our Customers' ENTHUSIASM

# Loyalty

We cherish our Customers' LOYALTY

# Luxury

We aim to establish our own LUXURY brand

# Efficient

We offer our EFFICIENT service

# Newest

We adopt NEWEST technologies for products

# Trust

We strive for winning the TRUST from Customers

## . QUALIFICATION CERTIFICATE:



## . FACTORY INTERIOR:



### FAQ

**Q: What's your delivery time?**

A: Standard product 20 days - 30 days.

**Q: Can we add our logo to products?**

A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

**Q: Can we customize the product?**

A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system



**Fuan Dellent Electric & Machinery Co., Ltd.**



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN  
CITY,NINGDECITY,FUJIAN.CHINA